ELSEVIER

Neuroscience Letters 235 (1997) 161–163

Neuroscience Letters

Author Index to Volume 235

Adachi, T., Aoki, J., Manya, H., Asou, H., Arai, H., Inoue, K., PAF analogues capable of inhibiting PAF acetylhydrolase activity suppress migration of isolated rat cerebellar granule cells, 133
Aguiar, L.M.V., see Marinho, M.M.F., 13
Alberts, G.L., see Pregenzer, J.F., 117
Andell-Jonsson, S., Xu, I.S., Bartfai, T., Xu, X.-J., Wiesenfeld-Hallin, Z., The effect of naturally occurring fragments of galanin message-associated peptide on spinal cord excitability in rats, 154
Aoki, J., see Adachi, T., 133
Arai, H., see Adachi, T., 133
Archelos, J.J., Fortwängler, T., Hartung, H.-P., Attenuation of experimental autoimmune neuritis in the Lewis rat by treatment with an antibody to L-selectin, 9
Arnault, P., see Garnier, C., 41
Askham, J., see Morrison, E.E., 129
Asou, H., see Adachi, T., 133
Azzalis, L.A., see D'Hipólide, V., 25

Ballesta, F., see Muñoz, E., 57
Barks, J.D.E., see Liu, X.-H., 93
Bartfai, T., see Andell-Jonsson, S., 154
Bernert, G., see Seidl, R., 137
Bock, J.H., see Pregenzer, J.F., 117
Boniface, B., see David, J.-P., 53
Bonnet, M., see Lejeune, H., 21
Braun, S.C., Kröger, R.H.H., Wagner, H.-J., Connectivity patterns of cone horizontal cells in blue acara (*Aequidens pulcher*, Cichlidae) reared in different light regimes, 145
Butt, A.M., see Howd, A.G., 98

Cairns, N., see Seidl, R., 137
Calixto, J.B., see Santos, A.R.S., 73
Cao, X.-D., see Zhu, C.-B., 37
Casini, L., see Lejeune, H., 21
Clissold, P., see Morrison, E.E., 129
Cowburn, R.F., see Flood, F.M., 17

David, J.-P., Ghozali, F., Fallet-Bianco, C., Wattez, A., Delaine, S., Boniface, B., Di Menza, C., Delacourte, A., Glial reaction in the hippocampal formation is highly correlated with aging in human brain, 53
de Bruin, V.M.S., see Marinho, M.M.F., 13
de Pinho, R.S.N., see Marinho, M.M.F., 13
de Sousa, F.C.F., see Marinho, M.M.F., 13
Delacourte, A., see David, J.-P., 53
Delaine, S., see David, J.-P., 53
Dembo, T., see Tanaka, K., 85
D'Hipólide, V., Azzalis, L.A., Lobo, L.L., Junqueira, V.B.C., Tufik, S., Absence of oxidative stress following paradoxical sleep deprivation in rats, 25
Di Menza, C., see David, J.-P., 53
Dun Yan, H., Lim, W., Woo Lee, K., Kim, J., Sera from amyotrophic lateral sclerosis patients reduce high-voltage activated Ca^{2+} currents in mice dorsal root ganglion neurons, 69

Fallet-Bianco, C., see David, J.-P., 53
Fell, J., Hinrichs, H., Röschke, J., Time course of human 40 Hz EEG activity accompanying P3 responses in an auditory oddball paradigm, 121
Ferrara, A., see Lejeune, H., 21
Fink, J.G., see Koch, T.R., 77
Flood, F.M., Cowburn, R.F., Johnston, J.A., Presenilin-1, amyloid precursor protein and amyloid precursor-like protein 2 mRNA levels in human superior frontal cortex during aging, 17
Fortwängler, T., see Archelos, J.J., 9
Friederici, A.D., see Mecklinger, A., 65
Fukuuchi, Y., see Tanaka, K., 85

Garnier, C., Arnault, P., Roger, M., Development of the striatal projection from embryonic neurons from the lateral or medial frontal cortex grafted homo- or heterotopically into the medial frontal cortex of newborn rats, 41
Ghozali, F., see David, J.-P., 53
Greber, S., see Seidl, R., 137
Green, A.J.E., Harvey, R.J., Thompson, E.J., Rossor, M.N., Increased S100β in the cerebrospinal fluid of patients with frontotemporal dementia, 5
Gurfinkel, V.S., see Ivanenko, Y.P., 109

Hanesch, U., see Tamura, R., 113
Hartung, H.-P., see Archelos, J.J., 9
Harvey, R.J., see Green, A.J.E., 5
Hashimoto, M., see Imamura, T., 49
Hashizume, Y., see Naoi, M., 81
Hinrichs, H., see Fell, J., 121
Hirono, N., see Imamura, T., 49
Hisanaga, S.-i., see Honma, N., 45
Ho, S.M., see Lim, C.H., 141
Honma, N., Hosono, Y., Kishimoto, T., S.-i. Hisanaga, Phosphorylation of retinoblastoma protein at apoptotic cell death in rat neuroblastoma B50 cells, 45
Hosono, Y., see Honma, N., 45
Howd, A.G., Rattray, M., Butt, A.M., Expression of GABA transporter mRNAs in the developing and adult rat optic nerve, 98
Huh, K., see Mook-Jung, I., 101
Hylland, P., Milton, S., Pek, M., Nilsson, G.E., Lutz, P.L., Brain Na^+/K^+-

0304-3940/97/$17.00 © 1997 Elsevier Science Ireland Ltd. All rights reserved
PII S0304-3940(97)00776-3

ATPase activity in two anoxia tolerant vertebrates: crucian carp and freshwater turtle, 89

Im, W.B., see Pregenzer, J.F., 117
Imamura, T., Ishii, K., Sasaki, M., Kitagaki, H., Yamaji, S., Hirono, N., Shimomura, T., Hashimoto, M., Tanimukai, S., Kazui, H., Mori, E., Regional cerebral glucose metabolism in dementia with Lewy bodies and Alzheimer's disease: a comparative study using positron emission tomography, 49
Inoue, K., see Adachi, T., 133
Ishii, K., see Imamura, T., 49
Ivanenko, Y.P., Levik, Y.S., Talis, V.L., Gurfinkel, V.S., Human equilibrium on unstable support: the importance of feet-support interaction, 109

Johannes, S., see Münte, T.F., 105
Johnston, J.A., see Flood, F.M., 17
Joo, I., see Mook-Jung, I., 101
Jung, M.W., see Mook-Jung, I., 101
Junqueira, V.B.C., see D'Hipólide, V., 25

Kazui, H., see Imamura, T., 49
Kim, J., see Dun Yan, H., 69
Kishimoto, T., see Honma, N., 45
Kitagaki, H., see Imamura, T., 49
Koch, T.R., Fink, J.G., Ruan, E., Petro, A., Opara, E.C., Chronic glutathione depletion alters expression of enteric inhibitory neurochemicals in the mouse, 77
Kröger, R.H.H., see Braun, S.C., 145
Kumazawa, T., see Tamura, R., 113
Kwon, H.J., see Mook-Jung, I., 101

Lee, K.S., see Toyoda, T., 29
Lejeune, H., Maquet, P., Bonnet, M., Casini, L., Ferrara, A., Macar, F., Pouthas, V., Timsit-Berthier, M., Vidal, F., The basic pattern of activation in motor and sensory temporal tasks: positron emission tomography data, 21
Levik, Y.S., see Ivanenko, Y.P., 109
Lim, C.H., Ho, S.M., Early detection of optic nerve-evoked response in the superior colliculus of the neonatal rat, 141
Lim, W., see Dun Yan, H., 69
Liu, X.-H., Wang, P., Barks, J.D.E., The non-competitive AMPA antagonist LY 300168 (GYKI 53655) attenuates AMPA-induced hippocampal injury in neonatal rodents, 93
Lobo, L.L., see D'Hipólide, V., 25
Lubec, G., see Seidl, R., 137
Lutz, P.L., see Hylland, P., 89

Macar, F., see Lejeune, H., 21
Manya, H., see Adachi, T., 133
Maquet, P., see Lejeune, H., 21
Marinho, M.M.F., de Bruin, V.M.S., de Sousa, F.C.F., Aguiar, L.M.V., de Pinho, R.S.N., Viana, G.S.B., Inhibitory action of a calcium channel blocker (nimodipine) on seizures and brain damage induced by pilocarpine and lithium-pilocarpine in rats, 13
Markham, A.F., see Morrison, E.E., 129
Martí, M.J., see Muñoz, E., 57
Maruyama, W., see Naoi, M., 81
Matsubara, K., see Naoi, M., 81
Matzke, M., see Münte, T.F., 105
Mecklinger, A., Opitz, B., Friederici, A.D., Semantic aspects of novelty detection in humans, 65
Memo, M., see Uberti, D., 149
Meredith, D.M., see Morrison, E.E., 129
Milton, S., see Hylland, P., 89
Mizumura, K., see Tamura, R., 113
Mook-Jung, I., Joo, I., Sohn, S., Kwon, H.J., Huh, K., Jung, M.W., Estrogen blocks neurotoxic effects of β-amyloid (1–42) and induces neurite extension on B103 cells, 101
Mook-Jung, I., Saitoh ,T., Amyloid precursor protein activates phosphotyrosine signaling pathway, 1
Mori, E., see Imamura, T., 49
Morrison, E.E., Askham, J., Clissold, P., Markham, A.F., Meredith, D.M., Expression of β-catenin and the adenomatous polyposis coli tumour suppressor protein in mouse neocortical cells in vitro, 129
Muñoz, E., Oliva, R., Obach, V., Martí, M.J., Pastor, P., Ballesta, F., Tolosa, E., Identification of Spanish familial Parkinson's disease and screening for the Ala53Thr mutation of the α-synuclein gene in early onset patients, 57
Münte, T.F., Szentkuti, A., Wieringa, B.M., Matzke, M., Johannes, S., Human brain potentials to reading syntactic errors in sentences of different complexity, 105

Nagata, E., see Tanaka, K., 85
Naoi, M., Maruyama, W., Matsubara, K., Hashizume, Y., A neutral *N*-methyltransferase activity in the striatum determines the level of an endogenous MPP^+-like neurotoxin, 1,2-dimethyl-6,7-dihydroxyisoquinolinium ion, in the substantia nigra of human brains, 81
Nilsson, G.E., see Hylland, P., 89

Obach, V., see Muñoz, E., 57
Oliva, R., see Muñoz, E., 57
Opara, E.C., see Koch, T.R., 77
Opitz, B., see Mecklinger, A., 65

Pastor, P., see Muñoz, E., 57
Pek, M., see Hylland, P., 89
Petro, A., see Koch, T.R., 77
Pöppel, E., see Szelag, E., 33
Pouthas, V., see Lejeune, H., 21
Prasada Rao, P.D., Sato, T., Ueck, M., Distribution of NADPH-diaphorase activity in the hypothalamo-hypophysial system of the frog *Rana esculenta*, 61
Pregenzer, J.F., Alberts, G.L., Bock, J.H., Slightom, J.L., Im, W.B., Characterization of ligand binding properties of the $5\text{-}HT_{1D}$ receptors cloned from chimpanzee, gorilla and rhesus monkey in comparison with those from the human and guinea pig receptors, 117

Rattray, M., see Howd, A.G., 98
Rizzini, C., see Uberti, D., 149
Roger, M., see Garnier, C., 41
Röschke, J., see Fell, J., 121
Rossor, M.N., Green, A.J.E., 5
Ruan, E., see Koch, T.R., 77

Saitoh ,T., see Mook-Jung, I., 1
Santos, A.R.S., Calixto, J.B., Ruthenium red and capsazepine antinociceptive effect in formalin and capsaicin models of pain in mice, 73
Sasaki, M., see Imamura, T., 49
Sato, T., see Prasada Rao, P.D., 61
Schmidt, R.F., see Tamura, R., 113

Schuller, E., see Seidl, R., 137
Seidl, R., Greber, S., Schuller, E., Bernert, G., Cairns, N., Lubec, G., Evidence against increased oxidative DNA-damage in Down syndrome, 137
Semba, K., see White, T.D., 125
Shimomura, T., see Imamura, T., 49
Shirai, T., see Tanaka, K., 85
Slightom, J.L., see Pregenzer, J.F., 117
Smith, C.C.T., Stimulated release of the β-amyloid protein of Alzheimer's disease by normal human platelets, 157
Sohn, S., see Mook-Jung, I., 101
Spano, P., see Uberti, D., 149
Szelag, E., von Steinbüchel, N., Pöppel, E., Temporal processing disorders in patients with Broca's aphasia, 33
Szentkuti, A., see Münte, T.F., 105

Talis, V.L., see Ivanenko, Y.P., 109
Tamura, R., Hanesch, U., Schmidt, R.F., Kumazawa, T., Mizumura, K., Calcitonin gene-related peptide- and substance P-like immunoreactive fibers in the spermatic nerve and testis of the dog, 113
Tanaka, K., Shirai, T., Nagata, E., Dembo, T., Fukuuchi, Y., Immunohistochemical detection of nitrotyrosine in postischemic cerebral cortex in gerbil, 85
Tanimukai, S., see Imamura, T., 49
Thompson, E.J., Green, A.J.E., 5
Timsit-Berthier, M., see Lejeune, H., 21
Tolosa, E., see Muñoz, E., 57
Toyoda, T., Lee, K.S., Differential induction of superoxide dismutase in core and penumbra regions after transient focal ischemia in the rat neocortex, 29
Tufik, S., see D'Hipólide, V., 25

Uberti, D., Rizzini, C., Spano, P., Memo, M., Characterization of tau proteins in human neuroblastoma SH-SY5Y cell line, 149
Ueck, M., see Prasada Rao, P.D., 61

Viana, G.S.B., see Marinho, M.M.F., 13
Vidal, F., see Lejeune, H., 21
von Steinbüchel, N., see Szelag, E., 33

Wagner, H.-J., see Braun, S.C., 145
Wang, P., see Liu, X.-H., 93
Wattez, A., see David, J.-P., 53
White, T.D., Semba, K., A comparison of (±)epibatidine with NMDA in releasing [^{3}H]noradrenaline and adenosine from slices of rat hippocampus and parietal cortex, 125
Wieringa, B.M., see Münte, T.F., 105
Wiesenfeld-Hallin, Z., see Andell-Jonsson, S., 154
Woo Lee, K., see Dun Yan, H., 69
Wu, G.-C., see Zhu, C.-B., 37

Xu, I.S., see Andell-Jonsson, S., 154
Xu, S.-F., see Zhu, C.-B., 37
Xu, X.-J., see Andell-Jonsson, S., 154

Yamaji, S., see Imamura, T., 49

Zhu, C.-B., Cao, X.-D., Xu, S.-F., Wu, G.-C., Orphanin FQ potentiates formalin-induced pain behavior and antagonizes morphine analgesia in rats, 37